



## No. 1

This grade is recommended for general utility and construction where high strength, stiffness, and good appearance are desired. Typical uses may include the bottom chord of an engineered truss, the part where highest strength is required, or for long-span floor joists.



***Pictured:*** 2x6 (38mm x 140mm) No. 1  
Length: 10' (3.048m)

**No. 1**  
**CONSTRUCTION GRADE**

Rough sawn, kiln dried, and  
manufactured to full dimension  
sizes in thickness and width.\*



***Pictured:*** 2x6 (50mm x 100mm) No.1 Construction Grade  
Length: 10' (3.048m)

\*See the product  
description  
"Construction  
Grades" on page 2.



## PRIME

Rough sawn and kiln dried to a maximum moisture content of 19%, this material measures 1½" x 4" and wider through 4" x 4" and wider. Prime material can be remanufactured

into thicker sizes, similar to dimension. It may be suitable for structural uses, such as exposed rafters. It is also ideal for furniture, flooring, and joinery applications.



**Pictured:** 3"x8" (75mm x 200mm) Prime  
Length: 10' (3.048m)

**NOTE:** Prior to shipment, the buyer and seller will determine what constitutes a complete grade description of this material.

## RADIUS EDGE DECKING - R.E.D.

This material is available in two grades. PREMIUM and STANDARD; PREMIUM grade offers higher appearance characteristics. This material features a rounded surface on all four edges; the rounding is on a radius of 1/4" or 6.35mm. In all widths, the dressed thickness is 1" or

25mm. Typically, this product is pressure treated with a waterborne preservative for outdoor deck surfaces, as well as for planters, benches and steps. The product designation "R.E.D." is included within the certified lumber grade mark.

PREMIUM GRADE



STANDARD GRADE



**Pictured:** 5/4x6" (25mm x 140mm) Radius Edge Decking - R.E.D.  
Length: 10' (3.048m) Pressure treated with a waterborne preservative.  
Premium Grade (left); Standard Grade (right)

**NOTE:** This product is graded according to SPIB's *Special Product Rules for Radius Edge Decking*, 1986 Edition.

### TYPICAL R.E.D. CERTIFIED GRADE MARKS

TP STAND. S-DRY  
000 R.E.D. SYP

SPIB: PREMIUM  
R.E.D.K015 7

### END PROFILE

